



**PRESIDENT OF THE BUREAU
FOR CHEMICAL SUBSTANCES**

BSCh-DPL.46-16/MG/21-11

GOOD LABORATORY PRACTICE CERTIFICATE

Registration number: 1/2022/DPL

Pursuant to article 16 (4) of the Act of 25 February 2011 on the Chemical Substances and their Mixtures (Journal of Laws 2020, item 2289), on the basis of the inspection and verification which was held on October 19-20, 2021 and on December 6-10, 2021 and in accordance with the provisions specified in the Regulation of the Minister of Health of 3 August 2021 on Good Laboratory Practice and Performance of Studies in Compliance with the Principles of Good Laboratory Practice (Journal of Laws 2021, item 1422), as well as in accordance with Directive 2004/9/EC and the relevant OECD documents, it is hereby confirmed that

**Experimental Laboratory of
Center for Cardiovascular Research
and Development
American Heart of Poland S.A.**

complies with the OECD and the EU principles of Good Laboratory Practice in the field of:

– **other studies: biocompatibility *in vivo*.**

The certificate is valid from January 10, 2022.

GLP Inspectors

M Godala

Mariusz Godala (PhD, Eng.)
(Lead GLP inspector)

K. Dubrawska - Gawron

Karolina Dubrawska-Gawron (M. Sc.)
(GLP inspector)

M Ubraniak

Marek Ubraniak (M. Sc.)
(GLP inspector)



**President of the Bureau
for Chemical Substances**

A Dudra

Agnieszka Dudra (PhD, Eng.)